




Импортозамещение в действии

An aerial photograph of a large industrial facility, likely a greenhouse or a large warehouse, with a vast, flat roof covered in rows of solar panels. The panels are arranged in a grid pattern, creating a strong sense of perspective. The sky is overcast with grey clouds. The word 'DELTA' is overlaid in large, bold, teal letters across the center of the image.

DELTA

Установка утилизации CO

СИСТЕМА СЕЛЕКТИВНОГО КАТАЛИТИЧЕСКОГО ВОССТАНОВЛЕНИЯ




01
Окисдирующий
катализатор
(1 ступень)

02
Смешивающая
труба

03
Селективный
катализатор

04
Окисдирующий
катализатор
(2 ступень)

05
Котел-утилизатор
и конденсор



ПРЕИМУЩЕСТВА СИСТЕМЫ

1 МВт/ч → 450 - 500кг CO₂ → 250 м³ природного газа

Экономия 1 млн. в месяц

с 1МВт электрической мощности



Повышение
урожайности до **30%**



Короткие сроки
окупаемости



Энергетическая
эффективность



DELTA

— УМНЫЙ ВЫБОР
ДЛЯ СОВРЕМЕННЫХ ТЕПЛИЦ

ЭНЕРГОЦЕНТР ДЛЯ АГРОПРОМЫШЛЕННОГО ХОЛДИНГА
«ЭКО-КУЛЬТУРА», «ОВОЩИ ЧЕРНОЗЕМЬЯ», ЛИПЕЦКАЯ ОБЛАСТЬ



144,8 МВт
Электрическая мощность

129,3 МВт
Тепловая мощность

Липецкая обл.






Газопоршневая установка

GE Jebacher JMS 624 GS-N.LC 4,4 МВт
32 шт

GE Jebacher JMS 612 GS-N.LC 2,0 МВт
2 шт

Установка очистки СО


ДЕЛЬТА 4.4 - М
8 шт



ПОЧЕМУ DELTA - ЭТО РЕАЛЬНОЕ ИМПОРТОЗАМЕЩЕНИЕ

до **70%**
российских
комплектующих

- ГАРАНТИЯ НАДЕЖНОСТИ
- ДОСТУПНОСТЬ ЗАПАСНЫХ ЧАСТЕЙ
- ОПЕРАТИВНОЕ СЕРВИСНОЕ ОБСЛУЖИВАНИЕ





ООО «Валдекс Энергетика»

☎ +7(495) 107-90-64

✉ info@valdex-energetica.com

🌐 valdex-energetica.com